



LEAD LINED DOOR
BROCHURE



COMMERCIAL GRADE RADIATION SHIELDED DOORS

Stronghold Fire & Security are the leading manufacturer of commercial-grade lead-lined doors in South Africa. We provide radiation-shielded door solutions tailored to meet your specifications. Doors supplied by SFS can meet the stringent requirements for radiation shielding, fire protection, impact resistance, hygiene control, sound reduction, air pressure and privacy.

OUR DOORS ARE SUITABLE FOR APPLICATIONS IN :

- Dental Surgeries
- OPG/CBCT Rooms
- Operating Theatres
- Diagnostic Imaging (X-ray, CT Scan rooms) PET Facilities
- Laboratories
- Veterinary Clinics

CUSTOM MADE AND QUALITY ASSURED

We offer wide range of x-ray radiation shielded lead lined doors, designed for use in industrial and healthcare industries. Available as sliding or hinged, all doors are manufactured to the clients specification.

LEAD GAUGE

- To meet specifications as per the Radiation Shielding Design Report.
- Solid core doors from 10kg.m² (0.88mm) up to 25kg.m² (2.2mm) lead lined. Specialty heavy shielded doors 30kg.m² (2.64mm) + available upon request.

DOOR FINISH

Custom dimensions and thickness (Min 40mm thick for standard lead gauges). MDF Paint grade skins as standard.

Laminate, Veneer Ply, Stainless Steel and other various door protection options.

ACCESSORIES

- Door Closer – Factory fitted
- Handle & Locks – Factory fitted
- Manual or Automated Sliding Gear Systems

Special preparation and precaution must be followed when fitting accessories onto your Lead Lined doors and is therefore, crucial to the integrity of the door, that these are fitted by the manufacturer.

OTHER OPTIONS

- 2HR Fire Rated doors available (-/120/30)
- 1.6Pb and 2.2Pb Lead Equivalent Glass viewing panels Supply and installation of drop seals.



Recommended Lead Sheet Thickness' for X-Ray Rooms

X-Rays Generated by Peak			
Minimum Thickness of Lead			
Weight per Square			
Voltages Not Exceeding	Millimeter	Inches	KG/M2
75 kv	10.03	912.21	
100 kv	1.50	05919.53	
125 kv	2.07	924.41	
150kv	2.5	0.093 34.18	
175 kv	3.11	839.06	
200 kv	4.15	748.42	
225 kv	5.19	763.47	
300 kv	9.35	4117.18	
400 kv	15.59	1185.53	
600 kv	34.1	3395.48	
900 kv	51.2	585.89	

CONTACT INFORMATION

Business Address:
15 Derrick Rd, Spartan,
Kempton Park
1619

Postal Address: Stronghold Fire & Security cc
Postnet Suite 316
Private Bag X1
East Rand
1462

Tel: 011 822 2570

Sales Team:

Elmarie: 082 566 2913
sales@strongholdfs.co.za

Cecilia: 067 415 5833
sales1@strongholdfs.co.za

Ashkia: 082 697 6252
sales2@strongholdfs.co.za

Operations:
Trevor: 078 067 0434
ops@strongholdfs.co.za

Website: www.strongholdfs.co.za

VAT No: 4730232149

Registration No: 2006/161602/23

Products and Services

- Fire Doors • Escape Doors
- Transformer Doors • Hospital Doors
- Anti-bandit Doors • Seclusion Doors
- Lead Lined Doors • Hospitality Doors
- Steel Doors • Acoustic Doors
- Ironmongery • Insulated Doors
- Door Hardware • Security Doors

Services

Site Surveys

Fire + Escape Door Maintenance

Door Installations

Factory + On-site Door Hardware Installations

Prepping Doors to take specialised Ironmongery

Management of poor installations

Export - SADC



www.strongholdfs.co.za

Designed By

